

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
ICHIRO OKUMURA, ET AL.) : Examiner: T. M. Dougherty
Application No.: 10/799,595) : Group Art Unit: 2834
Filed: March 15, 2004) : Confirmation No.: 8272
For: MANIPULATOR) : February 22, 2008
U.S. Patent No. 7,081,700 B2) :
Issued: July 25, 2006) :
)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR
CERTIFICATE OF CORRECTION
UNDER RULE 322

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes. A Certificate of Correction form is attached.

Any fees necessary in connection with this Certificate of Correction may be deducted from Deposit Account No. 06-1205.

Patent No.: 7,081,700

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our below-listed address.

Respectfully submitted,

/Scott D. Malpede/

Scott D. Malpede
Attorney for Patentees
Registration No. 32,533

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

SDM\rrnm

FCHS_WS 1396132v1

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Staple
Here
Only!

PRINTER'S TRIM LINE

PATENT NO. : 7,081,700 B2

DATED : July 25, 2006

INVENTOR(S) : ICHIRO OKUMURA, ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 8:

Line 48, "maybe" should read --may be--.

Line 54, "ceramic 1-2a'." should read --ceramic 1-2--.

FCHS_WS 1396132v1

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,081,700 B2

No. of add'l. copies
@ 30¢ per page

